

# TECH

## GLASS 807 NATURAL

<b>Material</b>	Styrene – Butadiene Block Copolymer
<b>Colour</b>	NATURAL
<b>Properties</b>	<p>High transparency and gloss, low density, high impact strength.</p> <p>After limonene treatment it is possible to create objects without visible printing layers. At first Immerse the finished printout in a limonene container for 2-3 seconds. The process shall be repeated few times till the desired effect is obtained. The number of immersions depends on the thickness of the print walls. After finishing limonene treatment, leave the print to dry in a well ventilated room.</p>
<b>Diameter</b>	1.75mm / 2.85mm
<b>Diameter tolerarance</b>	+/- 0.03mm
<b>Printing temperature</b>	200-220°C
<b>Heatbed temperature</b>	70°C
<b>Net weight</b>	0.5kg / 0.75kg / 1kg / 2kg / 3kg
<b>Gross weight</b>	0.85kg / 1.15kg / 1.4kg / 2.95kg / 3.95kg
<b>Spool dimensions</b>	200x52x52mm / 200x52x80mm / 300x52x100mm
<b>Packaging</b>	Vacuum packaging, carton box